

ProtectIt! Surge Suppressor

State of the art protection for every application



Model#: TM6

- ▶ 6 outlets/6 -ft. cord
- ▶ 1850 joule rating
- ▶ Tel/modem surge protection
- ▶ Individual switches
- ▶ \$50,000 Ultimate Lifetime Insurance (USA & Canada only)

DESCRIPTION

Tripp Lite's TOUCHMASTER COMPACT surge suppressor offers complete AC and phone line surge suppression for comprehensive protection of workstations, desktop PCs, telecom systems and other sensitive electronics. Heavy grade AC surge suppression shields connected equipment from damage and performance problems due to transient surges. RJ11 telephony lines suppression jacks protect dialup and DSL modems, fax machines, cordless phones and more. TOUCHMASTER COMPACT offers 6 total outlets, 6 foot cord and LED status warn of power and wiring problems. Heavy grade AC suppression rated at 1850 joules shields equipment from surges and line noise. Attractive, slim design is perfect for use under desktop computer monitors or notebook computers. Individual switches offer power control over connected equipment. Lifetime warranty with \$50,000 Ultimate Lifetime Insurance (USA & Canada Only).

PLUG/OUTLETS: Input: NEMA5 -15P / Output: 6 NEMA5 -15R / 6 -ft. AC line cord

ELECTRICAL: 120VAC, 50/60Hz, 15A (Requires NEMA5 -15R wall receptacle)

FORMAT: Slim, compact design perfect for use under desktop monitors and notebook computers

SUPPRESSION: AC: 150VRMS Clamping / 1850 joules / 330VUL1449

KEY BUYING POINTS

- 6 outlets
- 6-ft. cord with space -saving right-angle plug
- Built-in RJ11 jacks prevent surges from damaging your modem/fax equipment; 6 -ft. telephone cord included
- Surge suppression rating: 1850 joules
- EMI/RFI noise filtering
- 15 amp presettable circuit breaker
- Diagnostic LEDs confirm suppressor "protection present" (green), "grounded" (red) status and "power on" (green)
- Always on outlet provides power for equipment you always need on — even when the "master" switch is off
- Includes full normal mode (H -N) and common mode (N -G/H -G) line surge suppression
- Allows for the computer to be controlled by the "master" switch and other outlets to be controlled either the "master" switch or corresponding switch on the front panel
- \$50,000 Ultimate Lifetime Insurance (USA & Canada Only) covers connected equipment
- Lifetime product warranty

TYPICAL APPLICATIONS

- Ideal for PCs, notebook computers, peripherals and home electronics

PACKAGE INCLUDES

- TOUCHMASTERCOMPACTsurgesuppressor
- 6-ft.phonecord
- Instructionmanualandwarrantyinformation

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW	
System overview:	TOUCHMASTERCOMPACTconsole surgesuppressor protects computers and other sensitive electronic devices from damage and performance problems due to AC and data line surges. Low profile, under 10" monitor form factor allows prominent desktop placement with easy access to all 5 front panel power switch controls. Includes 6 output receptacles, 1850 joules AC protection level.
Voltage compatibility:	120VAC
Frequency compatibility:	50/60Hz
OUTPUT	
Output voltamp capacity (amps):	15
Output watt capacity (watts):	1800
Outlet quantity/type:	6 NEMA 5 -15R output receptacles (4 separately controlled by individual front panel switches, 1 unswitched)
INPUT	
Input connection type:	NEMA 5 -15P input plug
Input cord length (ft.):	6
Input cord length (m):	1.8
Input plug features:	Space-saving right angle input plug
Input cord gauge, type:	14 gauge, SJT
Recommended electrical service:	120V 15A
LEDS ALARMS & SWITCHES	
Diagnostic LEDs:	Built-in LEDs confirm suppressor "protection present" (green) and "grounded" (red) status
Switches:	Includes 5 front panel AC power switches. 4 switches control individual outlets and 1 serves as a main power switch that controls all but the one marked "unswitched" on the back panel
AC SURGE/NOISE SUPPRESSION	
Protection modes:	Includes full normal mode (H -N) and common mode (N -G/H -G) line surge suppression
AC suppression joule rating:	1850 joules
Clamping voltage (RMS):	150V
AC suppression response time:	<1ns
UL 1499 let through rating:	330V -UL Verified
DATA LINE SURGE SUPPRESSION	
TEL/Modem line protection:	Includes single line phone suppression via built-in RJ11 connectors, includes cable (260V clamping, 120 joules, center 2 wires protected)
PHYSICAL	
Unit weight (lbs):	2.8
Unit weight (kg):	1.3
Unit Dimensions (HWD/in):	11.5x11.2x1.5
Unit Dimensions (HWD/cm):	29.2x28.5x3.8
Shipping Dimensions (HWD/in):	13x11.5x1.75

ShippingDimensions(HWD/cm):	33x29.2x4.4
Materialofconstruction:	Plastic
Formfactorssupported:	SupportsundermonitorplacementasapowercontrolcenterforanentirePCsystemwith peripherals
Housingcolor:	Black
WARRANTY	
Productwarranty:	Lifetime
Connectedequipmentinsurance(USAand CanadaOnly):	Upto\$50,000

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.
Please make note that this information was posted on 08/04/2003.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869 - 1234

© 2003 Tripp Lite. All Rights Reserved.